



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

KNOX

County Base Map

(Records are Sorted by Township, Range, and Section)

LOG ID:
021658

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1963/05/07 TOWNSHIP 60N RANGE 10W SECTION 11 ELEVATION: 702FT
DRILL DEPTH: 83FT UTM X 587,728.88 UTM Y 4,429,173.46
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 9

LOG ID:
005442

WELL TYPE
Private Well

DRILL DATE: 1939/00/00 TOWNSHIP 60N RANGE 10W SECTION 24 ELEVATION: 650FT
DRILL DEPTH: 126FT UTM X 588,729.91 UTM Y 4,426,774.42
DEPTH TO BED: 35FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: OLD WELL DEEPEMED
S.W.L. (AFTER CASING): 18

LOG ID:
020288

WELL TYPE
Oil Well

DRILL DATE: TOWNSHIP 60N RANGE 10W SECTION 26 ELEVATION: 731FT
DRILL DEPTH: 630FT UTM X 586,311.89 UTM Y 4,425,381.36
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #1 SCROGGIN
S.W.L. (AFTER CASING):

LOG ID:
024486

WELL TYPE
Oil Well

DRILL DATE: 1966/10/01 TOWNSHIP 60N RANGE 10W SECTION 26 ELEVATION: 727FT
DRILL DEPTH: 461FT UTM X 586,311.89 UTM Y 4,425,381.36
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #1 EDGAR SCOGGIN; DRY & PLUGGED (WOOD PLUGS)
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027140**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

645FT

DRILL DEPTH:

340FT

60N

10W

26

DEPTH TO BED:

20FT

UTM XUTM Y

586,711.89

4,425,785.37

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 SCOGGINSS.W.L. (AFTER CASING):**LOG ID:****012807**WELL TYPE

Private Well

DRILL DATE:

1953/10/01

TOWNSHIPRANGESECTIONELEVATION:

732FT

DRILL DEPTH:

85FT

60N

10W

29

DEPTH TO BED:

45FT

UTM XUTM Y

581,713.83

4,425,411.31

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

49

LOG ID:**021391**WELL TYPE

Oil Well

DRILL DATE:

1962/12/30

TOWNSHIPRANGESECTIONELEVATION:

780FT

DRILL DEPTH:

1,295FT

60N

11W

15

DEPTH TO BED:

115FT

UTM XUTM Y

575,949.73

4,428,426.32

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 H.C. PALMERS.W.L. (AFTER CASING):**LOG ID:****020524**WELL TYPE

Private Well

DRILL DATE:

1961/06/01

TOWNSHIPRANGESECTIONELEVATION:

780FT

DRILL DEPTH:

130FT

60N

11W

21

DEPTH TO BED:UTM XUTM Y

574,615.72

4,427,162.27

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
006342

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1940/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	810FT
<u>DRILL DEPTH:</u>	300FT	60N	11W	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	125FT				575,720.73	4,427,006.28
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	"GOOD FRESH WATER"			
<u>S.W.L. (AFTER CASING):</u>	80					

LOG ID:
007014

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1940/03/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	800FT
<u>DRILL DEPTH:</u>	120FT	60N	11W	29	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	95FT				573,474.71	4,425,188.21
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	3 MI W OF PLEXNA			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
007138

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1940/04/10	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	781FT
<u>DRILL DEPTH:</u>	115FT	60N	11W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	110FT				577,104.78	4,423,309.20
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	1.5 MI W OF PLEVNA			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
018979

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>	1959/08/21	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	828FT
<u>DRILL DEPTH:</u>	135FT	60N	12W	11	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	120FT				568,098.62	4,429,531.24
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	@ STATE HWY BARN IN NOVELTY			
<u>S.W.L. (AFTER CASING):</u>	80					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012808**WELL TYPE

Private Well

DRILL DATE: 1953/00/00TOWNSHIPRANGESECTIONELEVATION:

836FT

DRILL DEPTH: 163FT

60N

12W

14

DEPTH TO BED: 150FTUTM XUTM Y

568,050.62

4,429,298.24

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 58**LOG ID:****020537**WELL TYPE

Private Well

DRILL DATE: 1959/00/00TOWNSHIPRANGESECTIONELEVATION:

826FT

DRILL DEPTH: 105FT

60N

12W

14

DEPTH TO BED:UTM XUTM Y

567,250.61

4,429,199.23

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: SW CORNER OF NOVELTYS.W.L. (AFTER CASING):**LOG ID:****020525**WELL TYPE

Private Well

DRILL DATE: 1959/00/00TOWNSHIPRANGESECTIONELEVATION:

800FT

DRILL DEPTH: 140FT

60N

12W

15

DEPTH TO BED:UTM XUTM Y

566,967.60

4,429,257.23

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: W EDGE OF NOVELTYS.W.L. (AFTER CASING):**LOG ID:****014255**WELL TYPE

Private Well

DRILL DATE: 1955/03/18TOWNSHIPRANGESECTIONELEVATION:

844FT

DRILL DEPTH: 188FT

60N

12W

22

DEPTH TO BED:UTM XUTM Y

566,948.62

4,426,220.16

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 85

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
012811

WELL TYPE
Private Well

DRILL DATE: 1953/01/11

TOWNSHIP RANGE SECTION

ELEVATION: 839FT

DRILL DEPTH: 141FT

60N 12W 27

DEPTH TO BED: 125FT

UTM X UTM Y
566,149.61 4,425,828.14
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NOVELTY

S.W.L. (AFTER CASING):

LOG ID:
012810

WELL TYPE
Private Well

DRILL DATE: 1954/03/29

TOWNSHIP RANGE SECTION

ELEVATION: 854FT

DRILL DEPTH: 249FT

60N 12W 29

DEPTH TO BED: 150FT

UTM X UTM Y
563,130.58 4,425,932.11
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 5 MI SW OF NOVELTY

S.W.L. (AFTER CASING): 91

LOG ID:
020526

WELL TYPE
Private Well

DRILL DATE: 1960/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 764FT

DRILL DEPTH: 170FT

61N 10W 20

DEPTH TO BED: 120FT

UTM X UTM Y
581,550.78 4,436,130.48
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
022346

WELL TYPE
Oil Well

DRILL DATE: 1962/10/01

TOWNSHIP RANGE SECTION

ELEVATION: 698FT

DRILL DEPTH: 355FT

61N 10W 22

DEPTH TO BED: 95FT

UTM X UTM Y
584,785.82 4,437,050.52
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 MILLER

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
012727

WELL TYPE
Private Well

DRILL DATE: 1954/03/06

TOWNSHIP RANGE SECTION

ELEVATION: 742FT

DRILL DEPTH: 198FT

61N 10W 24

DEPTH TO BED:

UTM X UTM Y
588,890.88 4,436,340.57
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 3.5 MI W OF LaBELLE

S.W.L. (AFTER CASING):

LOG ID:
019437

WELL TYPE
Private Well

DRILL DATE: 1960/09/20

TOWNSHIP RANGE SECTION

ELEVATION: 750FT

DRILL DEPTH: 448FT

61N 10W 25

DEPTH TO BED: 160FT

UTM X UTM Y
588,885.89 4,434,135.54
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 4.5 MI S OF LaBELLE, 2.5 MI W ON HWY U ON N SD

S.W.L. (AFTER CASING): 100

LOG ID:
019625

WELL TYPE
Private Well

DRILL DATE: 1960/05/17

TOWNSHIP RANGE SECTION

ELEVATION: 718FT

DRILL DEPTH: 100FT

61N 10W 30

DEPTH TO BED: 45FT

UTM X UTM Y
580,832.78 4,434,296.45
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: NARROW 0.75 X 1 MI SECTION

S.W.L. (AFTER CASING): 18

LOG ID:
007063

WELL TYPE
Oil Well

DRILL DATE: 1941/08/01

TOWNSHIP RANGE SECTION

ELEVATION: 713FT

DRILL DEPTH: 695FT

61N 11W 10

DEPTH TO BED: 50FT

UTM X UTM Y
576,060.70 4,439,490.46
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: #1 McREYNOLDS ESTATE

S.W.L. (AFTER CASING): 25

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
013270

WELL TYPE
Oil Well

DRILL DATE: 1954/11/24

TOWNSHIP RANGE SECTION

ELEVATION: 709FT

DRILL DEPTH: 630FT

61N 11W 11

DEPTH TO BED: 220FT

UTM X UTM Y
578,266.73 4,440,317.49
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: OIL TEST; 9 MI SE OF EDINA

S.W.L. (AFTER CASING):

LOG ID:
007988

WELL TYPE
Oil Well

DRILL DATE: 1942/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 783FT

DRILL DEPTH: 591FT

61N 11W 12

DEPTH TO BED: 155FT

UTM X UTM Y
579,270.74 4,438,888.49
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 HOLT

S.W.L. (AFTER CASING):

LOG ID:
027485

WELL TYPE
Private Well

DRILL DATE: 1970/09/14

TOWNSHIP RANGE SECTION

ELEVATION: 782FT

DRILL DEPTH: 265FT

61N 11W 12

DEPTH TO BED: 145FT

UTM X UTM Y
578,670.73 4,439,906.49
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):

LOG ID:
020520

WELL TYPE
Private Well

DRILL DATE: 1961/06/15

TOWNSHIP RANGE SECTION

ELEVATION: 761FT

DRILL DEPTH: 243FT

61N 11W 2

DEPTH TO BED: 195FT

UTM X UTM Y
578,282.72 4,441,085.50
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 100



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027332**WELL TYPE

Oil Well

DRILL DATE: 1973/06/21TOWNSHIPRANGESECTIONELEVATION:

795FT

DRILL DEPTH: 708FT

61N

11W

29

DEPTH TO BED: 85FTUTM XUTM Y

572,138.65

4,435,430.37

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

#1 P.H. GIBBONS - TOO MUCH WATER PRESSURE TO DRILL @

S.W.L. (AFTER CASING):

707.5'

LOG ID:**019627**WELL TYPE

Private Well

DRILL DATE: 1960/07/25TOWNSHIPRANGESECTIONELEVATION:

821FT

DRILL DEPTH: 115FT

61N

11W

31

DEPTH TO BED: 73FTUTM XUTM Y

570,498.64

4,433,805.33

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 110**LOG ID:****020531**WELL TYPE

Private Well

DRILL DATE: 1959/03/19TOWNSHIPRANGESECTIONELEVATION:

782FT

DRILL DEPTH: 170FT

61N

11W

34

DEPTH TO BED: 112FTUTM XUTM Y

576,664.72

4,433,455.39

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 70**LOG ID:****004909**WELL TYPE

Private Well

DRILL DATE: 1938/07/01TOWNSHIPRANGESECTIONELEVATION:

712FT

DRILL DEPTH: 595FT

61N

11W

35

DEPTH TO BED: 115FTUTM XUTM Y

577,980.74

4,433,879.41

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

SNELLING FARM - OLD WELL DEEPENED, NO WATER TO 461'

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
007047

WELL TYPE
Oil Well

DRILL DATE: 1941/08/01

TOWNSHIP RANGE SECTION

ELEVATION: 807FT

DRILL DEPTH: 804FT

61N 12W 1

DEPTH TO BED: 70FT

UTM X UTM Y
569,634.60 4,441,029.41
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 HAROLD EARLY - DRY & ABANDONED

S.W.L. (AFTER CASING):

LOG ID:
005853

WELL TYPE
Oil Well

DRILL DATE: 1940/02/06

TOWNSHIP RANGE SECTION

ELEVATION: 859FT

DRILL DEPTH: 935FT

61N 12W 18

DEPTH TO BED: 135FT

UTM X UTM Y
561,648.54 4,438,238.28
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: #1 FRANK CAMPBELL, 4 MI S OF HURDLAND - Driller Log Attached.

S.W.L. (AFTER CASING): 225

LOG ID:
020539

WELL TYPE
Private Well

DRILL DATE: 1961/07/22

TOWNSHIP RANGE SECTION

ELEVATION: 820FT

DRILL DEPTH: 119FT

61N 12W 2

DEPTH TO BED: 65FT

UTM X UTM Y
567,824.58 4,441,011.39
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 5 MI SE OF EDINA

S.W.L. (AFTER CASING):

LOG ID:
014434

WELL TYPE
Private Well

DRILL DATE: 1955/10/13

TOWNSHIP RANGE SECTION

ELEVATION: 865FT

DRILL DEPTH: 125FT

61N 12W 29

DEPTH TO BED:

UTM X UTM Y
563,710.54 4,435,229.27
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 90



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020532**WELL TYPE

Private Well

DRILL DATE: 1961/08/28TOWNSHIPRANGESECTIONELEVATION:

874FT

DRILL DEPTH: 268FT

61N

13W

12

DEPTH TO BED: 180FTUTM XUTM Y

559,910.55

4,439,526.27

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of Lee Woodroe and Clarence SykesS.W.L. (AFTER CASING): 200**LOG ID:****013125**WELL TYPE

Private Well

DRILL DATE: 1954/06/15TOWNSHIPRANGESECTIONELEVATION:

651FT

DRILL DEPTH: 239FT

62N

10W

12

DEPTH TO BED: 15FTUTM XUTM Y

589,224.85

4,449,931.75

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 6.5 MI NE OF KNOX CITY; FLOWS 1-2 GPMS.W.L. (AFTER CASING):**LOG ID:****013082**WELL TYPE

Oil Well

DRILL DATE: 1954/09/21TOWNSHIPRANGESECTIONELEVATION:

707FT

DRILL DEPTH: 636FT

62N

10W

16

DEPTH TO BED: 100FTUTM XUTM Y

583,651.78

4,447,171.64

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: formerly in name of R.F. Northcutt - MOSTLY MISSING INTEVALS ;
SOO ALSO #13333S.W.L. (AFTER CASING):**LOG ID:****013333**WELL TYPE

Oil Well

DRILL DATE: 1954/09/21TOWNSHIPRANGESECTIONELEVATION:

707FT

DRILL DEPTH: 636FT

62N

10W

16

DEPTH TO BED: 100FTUTM XUTM Y

583,651.78

4,447,171.64

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: formerly in name of R.F. Northcutt - SEE LOG #13082 FOR
COMPLETE LOGS.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
006451

WELL TYPE
Oil Well

<u>DRILL DATE:</u>	1940/09/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	764FT
<u>DRILL DEPTH:</u>	543FT	62N	10W	21	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	175FT				583,955.79	4,445,258.62
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#1 EARL SCHEMMP - DRY & ABANDONED			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
021398

WELL TYPE
Oil Well

<u>DRILL DATE:</u>	1963/01/28	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	762FT
<u>DRILL DEPTH:</u>	1,840FT	62N	10W	21	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	235FT				583,555.79	4,445,258.61
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#1 SCHEMPP			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
026573

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1970/01/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	759FT
<u>DRILL DEPTH:</u>	996FT	62N	10W	21	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	477FT				583,655.79	4,445,560.62
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
020543

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1961/07/29	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	744FT
<u>DRILL DEPTH:</u>	180FT	62N	10W	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	165FT				586,151.82	4,445,663.65
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	80					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**005821**WELL TYPE

Private Well

DRILL DATE: 1940/01/04TOWNSHIPRANGESECTIONELEVATION:

754FT

DRILL DEPTH: 383FT

62N

10W

35

DEPTH TO BED: 185FTUTM XUTM Y

586,367.83

4,443,065.62

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: Driller's log attachedS.W.L. (AFTER CASING): 100**LOG ID:****013180**WELL TYPE

Community Public Well

DRILL DATE: 1954/11/17TOWNSHIPRANGESECTIONELEVATION:

789FT

DRILL DEPTH: 133FT

62N

11W

19

DEPTH TO BED:UTM XUTM Y

570,914.60

4,446,694.50

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 74**LOG ID:****007139**WELL TYPE

Private Well

DRILL DATE: 1940/08/01TOWNSHIPRANGESECTIONELEVATION:

762FT

DRILL DEPTH: 106FT

62N

11W

27

DEPTH TO BED:UTM XUTM Y

575,706.68

4,443,660.51

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 3 MI E, 0.75 MI S OF EDINAS.W.L. (AFTER CASING):**LOG ID:****010270**WELL TYPE

Oil Well

DRILL DATE: 1948/04/01TOWNSHIPRANGESECTIONELEVATION:

751FT

DRILL DEPTH: 705FT

62N

11W

30

DEPTH TO BED: 70FTUTM XUTM Y

570,724.61

4,444,010.46

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1 MI S OF EDINA; SALT WATER @ 125-350'; HOLE PLUGGEDS.W.L. (AFTER CASING): 30

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
007015

WELL TYPE
Private Well

DRILL DATE: 1940/07/01

TOWNSHIP RANGE SECTION

ELEVATION: 828FT

DRILL DEPTH: 112FT

62N 12W 2

DEPTH TO BED: 95FT

UTM X UTM Y
567,047.53 4,451,978.53
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 2.5 MI W, 2.5 MI S OF EDINA

S.W.L. (AFTER CASING):

LOG ID:
004990

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1938/08/01

TOWNSHIP RANGE SECTION

ELEVATION: 867FT

DRILL DEPTH: 256FT

62N 13W 22

DEPTH TO BED: 170FT

UTM X UTM Y
555,804.53 4,445,116.26
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: NEAR HURDLAND Drillers Log Attached

S.W.L. (AFTER CASING): 60

LOG ID:
001503

WELL TYPE
Oil Well

DRILL DATE: 1908/03/10

TOWNSHIP RANGE SECTION

ELEVATION: 785FT

DRILL DEPTH: 1,308FT

62N 13W 3

DEPTH TO BED: 130FT

UTM X UTM Y
556,736.50 4,451,275.35
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #B W.H. NOONING, ON OLD NOONING FARM W OF BARING
DRILLER'S LOG ATTACHED

S.W.L. (AFTER CASING):

LOG ID:
013502

WELL TYPE
Private Well

DRILL DATE: 1954/10/23

TOWNSHIP RANGE SECTION

ELEVATION: 726FT

DRILL DEPTH: 185FT

63N 10W 4

DEPTH TO BED:

UTM X UTM Y
583,014.77 4,460,404.73
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 4.5 MI NW OF COLONY

S.W.L. (AFTER CASING): 69



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012728**WELL TYPE

Private Well

DRILL DATE: 1954/05/08TOWNSHIPRANGESECTIONELEVATION:

680FT

DRILL DEPTH: 300FT

63N

10W

5

DEPTH TO BED: 40FTUTM XUTM Y

582,822.77

4,461,641.72

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: @ RUTLEDGE; YIELD - 20 GPM @ 200'S.W.L. (AFTER CASING): 2**LOG ID:****020315**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

754FT

DRILL DEPTH: 1,045FT

63N

11W

24

DEPTH TO BED: 97FTUTM XUTM Y

578,543.69

4,455,669.69

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 CORBIN (CORE HOLE #3)S.W.L. (AFTER CASING):**LOG ID:****013501**WELL TYPE

Private Well

DRILL DATE: 1954/11/12TOWNSHIPRANGESECTIONELEVATION:

811FT

DRILL DEPTH: 340FT

63N

11W

29

DEPTH TO BED: 165FTUTM XUTM Y

572,179.60

4,454,361.61

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 3.5 MI E, 0.5 S OF BARING; OLD WELL TO 54'; YIELD - 15 GPM @ 175'S.W.L. (AFTER CASING): 95**LOG ID:****017474**WELL TYPE

Private Well

DRILL DATE: 1958/06/06TOWNSHIPRANGESECTIONELEVATION:

814FT

DRILL DEPTH: 125FT

63N

12W

14

DEPTH TO BED:UTM XUTM Y

566,803.53

4,457,550.57

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: YIELD - 5 GPM @ 125'S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004604**WELL TYPE

Unknown Well

DRILL DATE: 1912/00/00TOWNSHIP RANGE SECTION

63N 12W 26

ELEVATION: 805FTDRILL DEPTH: 2,125FTUTM X UTM YDEPTH TO BED: 100FT567,953.54 4,455,221.58
ZONE 15S.W.L. (BEFORE CASING):REMARKS: @ BARINGS.W.L. (AFTER CASING):**LOG ID:****021794**WELL TYPE

Private Well

DRILL DATE: 1962/12/14TOWNSHIP RANGE SECTION

63N 12W 36

ELEVATION: 796FTDRILL DEPTH: 373FTUTM X UTM YDEPTH TO BED: 126FT569,400.57 4,452,220.56
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: NEAR EDINA; YIELD - 12 GPM @ 200'S.W.L. (AFTER CASING): 62**KNOX**